| U.S. | DEPARTM | OF | ERCE | | |
|------|---------|-----|------|--------|--------|
| | Patent | and | Trac | demerk | Office |

| Date: | Phone: | | | | |
|---|---------------------------|--|--|--|--|
| | | | Art Unit: | | |
| terms that may have a specia | al meaning. Give examples | ribe specifically as possible the soor relevent citations, authors, keeps of the broadest and/or m | eywords, etc., if known. For se | Define any . quences, | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | • | b (| A Complete and the party of the second | | |
| | • | | * | | |
| | | | · · · · · · · · · · · · · · · · · · · | . 1 | |
| | * | | : | | |
| | | | · · · · · · · · · · · · · · · · · · · | | |
| | | | The state of the s | | |
| | | Section 1 | | (Min | |
| | | | | | |
| · | | * | The state of the s | | |
| | | | | | |
| | | | · · | | |
| | | · · | | e Str. | |
| | | | | | |
| | | | ÷ : | | |
| | | | | | |
| | | | * | | |
| | | | • | | |
| | | | E. M. Pr. C. Recolumn March Stage Conference States | - | |
| | ST/ | AFF USE ONLY | | | |
| 12/11 | . 317 | white the second of the second | e i 1880 - Seria do Br edigiras | | |
| Date completed: $12/4$ Dearcher: 0.566 | +, per 308-429 | Search Site STIC | Vendors IG | Marie Marie | |
| reminal time: | | CM-1 6A0 3 | | 3. Z. F. | |
| lapsed time:3 | | Pre-S | Dialog | Lucia ministra | |
| PU time: otal time: | • | Type f Search N.A. Sequence | APS | A STATE OF S | |
| otal time: | | N.A. Sequence | Geninfo | in the same of | |
| Number of Databases: | | Structure | DARC/C | uestel | |

PTO-1500 (9-00)

| | L # | Hits | Search Text | DBs | Time Stamp |
|---|-----|------|-----------------------|-----|---------------------|
| 1 | L1 | 365 | acetylglucosaminidase | | 2002/12/30 10:00 |
| 2 | L2 | 161 | ll near5 endo | | 2002/12/30 10:01 |
| 3 | L3 | 8 | ll and mucor | | 2002/12/30 10:01 |







| PubMe | d Nu | ıcleotide | Protein | Genome | Structure | PMC | Taxonomy | OMIM | Во |
|--------|--------|-----------|----------|---------------|-----------|-----|-----------|---------|-----|
| Search | PubMed | ▼ for | #2 AND m | ucor | e sec GAS | | Pre | view Go | C |
| | | | Limits | Preview/Index | Hist | ory | Clipboard | Deta | ils |

- Search History will be lost after one hour of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.

Entrez PubMed

PubMed Services

| Search | Most Recent Queries | Time | Result |
|--------|--|----------|------------|
| #7 | Search #2 AND mucor | 08:39:38 | <u>14</u> |
| #6 | Search #2 AND gene | 08:39:09 | <u>3</u> |
| #5 | Search #2 AND cloning | 08:38:41 | <u>3</u> |
| #2 | Related Articles for PubMed (Select 1368528) | 08:32:51 | <u>163</u> |
| #1 | Search Kadowaki and mucor | 08:32:43 | 47 |

Clear History

Related Resources

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

2 / 2 / Spin at 2 Mai (6273)

d his

(FILE 'HOME' ENTERED AT 08:45:17 ON 30 DEC 2002)

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI, BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, ...' ENTERED AT 08:45:31 ON

SEA MUCOR AND ACETYLGLUCOSAMINIDASE

```
6
   FILE AGRICOLA
     FILE AQUASCI
     FILE BIOBUSINESS
 2
    FILE BIOSIS
24
13
     FILE BIOTECHABS
     FILE BIOTECHDS
13
     FILE BIOTECHNO
11
     FILE CABA
1
     FILE CANCERLIT
2
40
     FILE CAPLUS
     FILE CEABA-VTB
2
     FILE DDFU
37
     FILE DGENE
     FILE DRUGU
     FILE EMBAL
1
     FILE EMBASE
16
13
     FILE ESBIOBASE
     FILE FSTA
     FILE GENBANK
3
23
     FILE JICST-EPLUS
8
     FILE LIFESCI
17
     FILE MEDLINE
     FILE OCEAN
     FILE PASCAL
22
     FILE SCISEARCH
     FILE TOXCENTER
   FILE USPATFULL
 QUE MUCOR AND ACETYLGLUCOSAMINIDASE
```

FILE 'MEDLINE, AGRICOLA, CAPLUS, BIOSIS, EMBASE, WPIDS, JICST-EPLUS'

```
ENTERED AT 08:47:00 ON 30 DEC 2002
```

L2 126 S MUCOR AND ACETYLGLUCOSAMINIDASE

L3 58 DUP REM L2 (68 DUPLICATES REMOVED)

L4 50 S L3 NOT PY>1998

L5 37 S L4 AND ENDO

=> s 15 and (clon? or dna or cdna or gene or nucleic)
L6 2 L5 AND (CLON? OR DNA OR CDNA OR GENE OR NUCLEIC)

=> d 1- ibib abs YOU HA

Ll

IUBMB Enzyme Nomenclature

EC 3.2.1.96

Common name: mannosyl-glycoprotein endo-β-N-acetylglucosaminidase

Reaction: Endohydrolysis of the N,N'-diacetylchitobiosyl unit in high-mannose glycopeptides and glycoproteins containing the -[Man(GlcNAc)₂]Asn-structure. One N-acetyl-D-glucosamine residue remains attached to the protein; the rest of the oligosaccharide is released intact

Other names: N,N'-diacetylchitobiosyl β -N-acetylglucosaminidase; endo- β -N-acetylglucosaminidase; mannosyl-glycoprotein endo- β -N-acetylglucosaminidase; di-N-acetylglucosaminidase; endo- β - Ω -acetylglucosaminidase; endo- Ω -acetylglucosaminidase Ω ; endo- Ω -acetylglucosaminidase Ω :

Systematic name: glycopeptide-D-mannosyl- N^4 -(N-acetyl-D-glucosaminyl)₂-asparagine 1,4-N-acetyl- β -glucosaminohydrolase

Comments: A group of related enzymes.

Links to other databases: BRENDA, EXPASY, KEGG, WIT, CAS registry number: 37278-88-9

References:

- 1. Chien, S., Weinburg, R., Li, S. and Li, Y. Endo-β-N-acetylglucosaminidase from fig latex. *Biochem. Biophys. Res. Commun.* 76 (1977) 317-323.
- 2. Koide, N. and Muramatsu, T. Endo-β-N-acetylglucosaminidase acting on carbohydrate moieties of glycoproteins. Purification and properties of the enzyme from *Diplococcus pneumoniae*. *J. Biol. Chem.* 249 (1974) 4897-4904. [Medline UI: 74288197]
- 3. Pierce, R.J., Spik, G. and Montreuil, J. Cytosolic location of an endo-*N*-acetyl-β-D-glucosaminidase activity in rat liver and kidney. *Biochem. J.* 180 (1979) 673. [Medline UI: 80020233]
- 4. Pierce, R.J., Spik, G. and Montreuil, J. Demonstration and cytosolic location of an endo-*N*-acetyl-β-D-glucosaminidase activity towards an asialo-*N*-acetyl-lactosaminic-type substrate in rat liver. *Biochem. J.* 185 (1980) 261-264. [Medline UI: 80197728]
- 5. Tai, T., Yamashita, K., Ogata-Arakawa, M., Koide, N., Muramatsu, T., Iwashita, S., Inoue, Y. and Kobata, A. Structural studies of two ovalbumin glycopeptides in relation to the endo-β-N-acetylglucosaminidase specificity. *J. Biol. Chem.* 250 (1975) 8569-8575. [Medline UI: 76069208]
- 6. Tarentino, A.L., Plummer, T.H., Jr. and Maley, F. The release of intact oligosaccharides from specific

http://www.chem.qmul.ac.uk/iubmb/enzyme/EC3/2/1/96.html

glycoproteins by endo-β-*N*-acetylglucosaminidase H. *J. Biol. Chem.* 249 (1974) 818-824. [Medline UI: 74092230]

[EC 3.2.1.96 created 1978]

Return to EC 3.2.1 home page

Return to EC 3.2 home page

Return to EC 3 home page

Return to Enzymes home page

Return to IUBMB Biochemical Nomenclature home page



Agric. Biol. Chem. 1988;52:2387-2389

A novel endo-beta-N-acetylglucosaminidase acting on complex oligosaccharides of glycoproteins in a fungus

Kadowaki, S.; Yamamoto, K.; Fujisaki, M.; Kumagai, H.; Tochikura, T.; c

Legend: es:= valid for all references of this EC number; es:= valid only for this reference; es:= valid for all references of this EC Number but only for described organisms (see field "Organism")

Organism : Mucor hiemalis

See also following references to EC number 3.2.1.96 (sorted by authors):

31. Arakawa et al.(1974); 12. Baussant et al.(1986); 2. Bierbaum et al.(1988); 48. Bourgerie et al.(1994); 25. Chalifour et al.(1984); 36. Chien et al.(1977); 1. DeGasperi et al.(1989); 41. Delmotte et al.(1979); 26. Elder et al.(1982); 23. Freeze et al.(1984); 46. Fujisaki et al.(1991); 3. Garcia et al.(1989); 56. Guardati et al.(1993); 14. Hitomi et al.(1985); 54. Ito et al.(1993); 33. Ito et al.(1975); 6. Kadowaki et al.(1988); 47. Kadowaki et al.(1990); 5. Kadowaki et al.(1988); 55. Karamanos et al.(1995); 50. Kato et al.(1997); 60. Kimura et al.(1996); 20. Kimura et al.(1998); 4. Kitabatake et al.(1988); 17. Kobata et al.(1978); 30. Koide et al.(1974); 32. Koide et al.(1975); 44. Li et al.(1981); 15. Lisman et al.(1985); 24. Mizuochi et al.(1984); 19. Muramatsu et al.(1978); 38. Muramatsu et al.(1978); 29. Nishigaki et al.(1974); 37. Ogata-Arakawa et al.(1977); 53. Oshida et al.(1995); 43. Overdijk et al.(1981); 40. Pierce et al.(1979); 42. Pierce et al.(1980); 52. Rao et al.(1999); 59. Rao et al.(1995); 22. Robbins et al.(1984); 21. Rogers et al.(1984); 10. Song et al.(1987); 45. Tachibana et al.(1982); 57. Takegawa et al.(1991); 49. Takegawa et al.(1976); 8. Tarentino et al.(1978); 28. Tarentino et al.(1974); 34. Tarentino et al.(1975); 35. Tarentino et al.(1976); 9. Trimble et al.(1987); 51. Valisena et al.(1991); 13. Yamamoto et al.(1986); 11. Yamamoto et al.(1986); 58. Yamamoto et al.(1998); 7. Yet et al.(1988);

Recommended Name : mannosyl-glycoprotein endo-beta-N-acetylglucosaminidase

Systematic Name glycopeptide-D-mannosyl-N4-(N-acetyl-D-glucosaminyl)2-asparagin

1,4-N-acetyl-beta-glucosaminohydrolase

EC Number es: 3.2.1.96

CAS Registry Number eq: 37278-88-9

Reaction endohydrolysis of the di-N-acetylchitobiosyl unit in high-mannose

glycopeptides and glycoproteins containing

the-[Man(GlcNAc)2]Asn-structure. One N-acetyl-D-glucosamine

residue remains attached to the protein, the rest of the

oligosaccharide is released intact

endohydrolysis of the di-N-acetylchitobiosyl unit in high-mannose glycopeptides and glycoproteins containing the-[Man(GlcNAc)2]Asn-structure. One N-acetyl-D-glucosamine residue remains attached to the protein, the rest of the oligosaccharide is released intact





Substrates/Products:

(S:=Substrates, CS:=Commentary Substrate, LS:=Literature Substrate, OS:=Organism Substrate, P:=Product, CP:=Commentary Product, LP:=Literature Product, OR:=Organism, OP:=Organism Product, RE:=Reversibility)

Mucor hiemalis:

S= glycoprotein + H2O, CS= hydrolysis of asparagine-linked oligosaccharides of glycoproteins at the di-N-acetylchitobiosyl moiety of complex oligosaccharides, high-mannose oligosaccharides and hybrid

structure oligosachharides (see ref.: this reference), LS=5, OS= Mucor hiemalis, P=?, OP=?<1> S= transferrin + H2O, LS=5, OS= Mucor hiemalis, P= complex oligosaccharides + ?, LP=5, OR= Mucor hiemalis,

Application ::

(AP. = Application, CO. = Commentary)

Mucor hiemalis:

AP= analysis, CO= the enzyme will be an excellent tool for clarification of the structures and functions of complex oligosaccharides in glycoproteins (see ref.: this reference)

Localization ::

(LO:=Localization, CO:=Commentary)

Mucor hiemalis:

LO = extracellular,

Purification ::

Mucor hiemalis:

= partial (see ref.: this reference)

Source tissue:

(ST:=Source tissue, CO:=Commentary)

Mucor hiemalis:

ST= culture medium,

PDB ID Number es:

(PDB ID Number/Organism)

1C3F/ Streptomyces plicatus | 1C8X/ Streptomyces plicatus | 1C8Y/ Streptomyces plicatus | 1C90/ Streptomyces plicatus | 1C91/ Streptomyces plicatus | 1C92/ Streptomyces plicatus | 1EDT/ Streptomyces plicatus | 1EOK/ Flavobacterium meningosepti | 1EOM/ Flavobacterium meningosepti | 2EBN/ Chryseobacterium meningosep